


Laboratory Report

Report ID: 102310



Sierra
Environmental
Monitoring, Inc.

Stillwater Sciences
Attn: Noah Hume
2855 Telegraph Ave., Suite 400
Berkeley, CA 94705

Date: 12/2/2009
Client: STW-90902
Taken by: M. Reymann
PO #: 398.01/1330

Dear Noah Hume,

It is the policy of Sierra Environmental Monitoring, Inc to strictly adhere to a comprehensive Quality Assurance Plan that insures the data presented in this report are both accurate and precise. Sierra Environmental Monitoring, Inc. maintains accreditation in the State of Nevada (NV-15) and the State of California (ELAP 2526).

The data presented in this report were obtained from the analysis of samples received under a chain of custody. Unless otherwise noted below, samples were received in good condition, properly preserved and within the hold time for the requested analyses. Any anomalies associated with the analysis of the samples have been flagged with appropriate explanation in the Analysis Report section of this Laboratory Report.

General Comments:

- There are no general comments for this report.

Individual Sample Comments:

- There are no specific comments that are associated with these samples.

Approved By:


Date:

A handwritten signature in black ink, appearing to read "John Kobza", is written over a horizontal line. Below the line, the text "Sierra Environmental Monitoring, Inc." is printed.

Sierra Environmental Monitoring, Inc.

12/2/2009

This report is applicable only to the sample received by the laboratory. The liability of the laboratory is limited to the amount paid for this report. This report is for the exclusive use of the client to whom it is addressed and upon the condition that the client assumes all liability for the further distribution of the report or its contents.



Laboratory Report

Report ID: 102310

Sierra
Environmental
Monitoring, Inc.

Stillwater Sciences
Attn: Noah Hume
2855 Telegraph Ave., Suite 400
Berkeley, CA 94705


Date: 12/2/2009
Client: STW-90902
Taken by: M. Reymann
PO #: 398.01/1330

Analysis Report

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received			
S200911-0890	GW-1	11/16/2009	3:20 PM	11/18/2009	Reporting Limit	Analyst	Date Analyzed
Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag
Ammonia-N	EPA 350.3	1.1	mg/L N	0.1	Pacheco	12/1/2009	
Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	1.1	mg/L N	0.1	Pacheco	11/23/2009	
Nitrate-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009	
Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009	

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received			
S200911-0891	GW-2	11/16/2009	3:45 PM	11/18/2009	Reporting Limit	Analyst	Date Analyzed
Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag
Ammonia-N	EPA 350.3	1.0	mg/L N	0.1	Pacheco	12/1/2009	
Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	1.0	mg/L N	0.1	Pacheco	11/23/2009	
Nitrate-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009	
Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009	

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received			
S200911-0892	GW-3	11/16/2009	4:35 PM	11/18/2009	Reporting Limit	Analyst	Date Analyzed
Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag
Ammonia-N	EPA 350.3	<0.1	mg/L N	0.1	Pacheco	12/1/2009	
Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	0.2	mg/L N	0.1	Pacheco	11/23/2009	
Nitrate-N - Ion Chromatography	EPA 300.0	2.0	mg/L N	0.5	Faulstich	11/18/2009	
Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009	



Laboratory Report

Report ID: 102310

Sierra
Environmental
Monitoring, Inc.


Stillwater Sciences
Attn: Noah Hume
2855 Telegraph Ave., Suite 400
Berkeley, CA 94705

Date: 12/2/2009
Client: STW-90902
Taken by: M. Reymann
PO #: 398.01/1330

Analysis Report

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received				
S200911-0893	EU-2	11/17/2009	10:25 AM	11/18/2009	Reporting Limit	Analyst	Date Analyzed	Data Flag
Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag	
Ammonia-N	EPA 350.3	0.4	mg/L N	0.1	Pacheco	12/1/2009		
Chlorophyll a	SM 10200 H	2	ug/L	2	Kobza	11/25/2009		
Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	1.1	mg/L N	0.1	Pacheco	11/23/2009		
Nitrate-N - Ion Chromatography	EPA 300.0	9.7	mg/L N	0.5	Faulstich	11/18/2009		
Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009		
Phosphorus - Ortho	EPA 365.3	0.8	mg/L	0.1	Van Ry	11/18/2009		
Phosphorus - Total	EPA 365.3	0.84	mg/L	0.04	Van Ry	11/23/2009		

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received				
S200911-0894	EU-2 dup	11/17/2009	10:25 AM	11/18/2009	Reporting Limit	Analyst	Date Analyzed	Data Flag
Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag	
Ammonia-N	EPA 350.3	0.3	mg/L N	0.1	Pacheco	12/1/2009		
Chlorophyll a	SM 10200 H	4	ug/L	2	Kobza	11/25/2009		
Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	0.6	mg/L N	0.1	Pacheco	11/23/2009		
Nitrate-N - Ion Chromatography	EPA 300.0	9.7	mg/L N	0.5	Faulstich	11/18/2009		
Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009		
Phosphorus - Ortho	EPA 365.3	0.8	mg/L	0.1	Van Ry	11/18/2009		
Phosphorus - Total	EPA 365.3	1.1	mg/L	0.1	Van Ry	11/23/2009		



Laboratory Report

Report ID: 102310

Sierra
Environmental
Monitoring, Inc.


Stillwater Sciences
Attn: Noah Hume
2855 Telegraph Ave., Suite 400
Berkeley, CA 94705

Date: 12/2/2009
Client: STW-90902
Taken by: M. Reymann
PO #: 398.01/1330

Analysis Report

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received				
S200911-0895	R-1	11/17/2009	11:20 AM	11/18/2009	Reporting Limit	Analyst	Date Analyzed	Data Flag
Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag	
Ammonia-N	EPA 350.3	<0.1	mg/L N	0.1	Pacheco	12/1/2009		
Chlorophyll a	SM 10200 H	5	ug/L	2	Kobza	11/25/2009		
Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	<0.1	mg/L N	0.1	Pacheco	11/23/2009		
Nitrate-N - Ion Chromatography	EPA 300.0	5.0	mg/L N	0.5	Faulstich	11/18/2009		
Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009		
Phosphorus - Ortho	EPA 365.3	<0.02	mg/L	0.02	Van Ry	11/18/2009		
Phosphorus - Total	EPA 365.3	<0.02	mg/L	0.02	Van Ry	11/23/2009		

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received				
S200911-0896	EU-1	11/17/2009	12:15 PM	11/18/2009	Reporting Limit	Analyst	Date Analyzed	Data Flag
Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag	
Ammonia-N	EPA 350.3	0.3	mg/L N	0.1	Pacheco	12/1/2009		
Chlorophyll a	SM 10200 H	3	ug/L	2	Kobza	11/25/2009		
Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	1.7	mg/L N	0.1	Pacheco	11/23/2009		
Nitrate-N - Ion Chromatography	EPA 300.0	9.3	mg/L N	0.5	Faulstich	11/18/2009		
Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009		
Phosphorus - Ortho	EPA 365.3	0.8	mg/L	0.1	Van Ry	11/18/2009		
Phosphorus - Total	EPA 365.3	1.0	mg/L	0.1	Van Ry	11/23/2009		



Laboratory Report

Report ID: 102310

Sierra
Environmental
Monitoring, Inc.


Stillwater Sciences
Attn: Noah Hume
2855 Telegraph Ave., Suite 400
Berkeley, CA 94705

Date: 12/2/2009
Client: STW-90902
Taken by: M. Reymann
PO #: 398.01/1330

Analysis Report

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received								
S200911-0897	EM-1	11/17/2009	12:35 PM	11/18/2009	Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag
					Ammonia-N	EPA 350.3	0.3	mg/L N	0.1	Pacheco	12/1/2009	
					Chlorophyll a	SM 10200 H	3	ug/L	2	Kobza	11/25/2009	
					Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	1.9	mg/L N	0.1	Pacheco	11/23/2009	
					Nitrate-N - Ion Chromatography	EPA 300.0	11	mg/L N	0.5	Faulstich	11/18/2009	
					Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009	
					Phosphorus - Ortho	EPA 365.3	1.1	mg/L	0.1	Van Ry	11/18/2009	
					Phosphorus - Total	EPA 365.3	1.4	mg/L	0.1	Van Ry	11/23/2009	

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received								
S200911-0898	EU-3	11/17/2009	1:00 PM	11/18/2009	Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag
					Ammonia-N	EPA 350.3	0.2	mg/L N	0.1	Pacheco	12/1/2009	
					Chlorophyll a	SM 10200 H	9	ug/L	2	Kobza	11/25/2009	
					Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	1.5	mg/L N	0.1	Pacheco	11/23/2009	
					Nitrate-N - Ion Chromatography	EPA 300.0	19	mg/L N	0.5	Faulstich	11/18/2009	
					Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009	
					Phosphorus - Ortho	EPA 365.3	2.1	mg/L	0.5	Van Ry	11/18/2009	
					Phosphorus - Total	EPA 365.3	2.8	mg/L	0.2	Van Ry	11/23/2009	



Laboratory Report
Report ID: 102310

**Sierra
 Environmental
 Monitoring, Inc.**

Stillwater Sciences
 Attn: Noah Hume
 2855 Telegraph Ave., Suite 400
 Berkeley, CA 94705

Date: 12/2/2009
 Client: STW-90902
 Taken by: M. Reymann
 PO #: 398.01/1330


Analysis Report

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received				
S200911-0899	EM-2	11/17/2009	1:25 PM	11/18/2009	Reporting Limit	Analyst	Date Analyzed	Data Flag
Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag	
Ammonia-N	EPA 350.3	0.4	mg/L N	0.1	Pacheco	12/1/2009		
Chlorophyll a	SM 10200 H	9	ug/L	2	Kobza	11/25/2009		
Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	1.7	mg/L N	0.1	Pacheco	11/23/2009		
Nitrate-N - Ion Chromatography	EPA 300.0	16	mg/L N	0.5	Faulstich	11/18/2009		
Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009		
Phosphorus - Ortho	EPA 365.3	2.5	mg/L	0.5	Van Ry	11/18/2009		
Phosphorus - Total	EPA 365.3	2.2	mg/L	0.2	Van Ry	11/23/2009		

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received				
S200911-0900	EL-1	11/17/2009	2:00 PM	11/18/2009	Reporting Limit	Analyst	Date Analyzed	Data Flag
Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag	
Ammonia-N	EPA 350.3	0.3	mg/L N	0.1	Pacheco	12/1/2009		
Chlorophyll a	SM 10200 H	2	ug/L	2	Kobza	11/25/2009		
Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	2.2	mg/L N	0.1	Pacheco	11/23/2009		
Nitrate-N - Ion Chromatography	EPA 300.0	11	mg/L N	0.5	Faulstich	11/18/2009		
Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009		
Phosphorus - Ortho	EPA 365.3	1.1	mg/L	0.1	Van Ry	11/18/2009		
Phosphorus - Total	EPA 365.3	1.3	mg/L	0.1	Van Ry	11/23/2009		

Laboratory Report

Report ID: 102310



Sierra
Environmental
Monitoring, Inc.


Stillwater Sciences
Attn: Noah Hume
2855 Telegraph Ave., Suite 400
Berkeley, CA 94705

Date: 12/2/2009
Client: STW-90902
Taken by: M. Reymann
PO #: 398.01/1330

Analysis Report

Sample ID:	Customer Sample ID	Date Sampled	Time Sampled	Date Received				
S200911-0901	EL-2	11/17/2009	2:15 PM	11/18/2009	Reporting Limit	Analyst	Date Analyzed	Data Flag
Parameter	Method	Result	Units	Reporting Limit	Analyst	Date Analyzed	Data Flag	
Ammonia-N	EPA 350.3	0.3	mg/L N	0.1	Pacheco	12/1/2009		
Chlorophyll a	SM 10200 H	<2	ug/L	2	Kobza	11/25/2009		
Kjeldahl Nitrogen - Digestion/Analys	SM 4500 N(org)	2.0	mg/L N	0.1	Pacheco	11/23/2009		
Nitrate-N - Ion Chromatography	EPA 300.0	12	mg/L N	0.5	Faulstich	11/18/2009		
Nitrite-N - Ion Chromatography	EPA 300.0	<0.5	mg/L N	0.5	Faulstich	11/18/2009		
Phosphorus - Ortho	EPA 365.3	1.2	mg/L	0.1	Van Ry	11/18/2009		
Phosphorus - Total	EPA 365.3	1.1	mg/L	0.1	Van Ry	11/23/2009		

Data Flag Legend:



Laboratory Report
Report ID: 102310

**Sierra
 Environmental
 Monitoring, Inc.**

Stillwater Sciences
 Attn: Noah Hume
 2855 Telegraph Ave., Suite 400
 Berkeley, CA 94705

Date: 12/2/2009
 Client: STW-90902
 Taken by: M. Reymann
 PO #: 398.01/1330

Quality Control Report

<i>Parameter</i>	<i>LCS, % Recovery</i>	<i>MS, % Recovery</i>	<i>MSD, % Recovery</i>	<i>RPD, %</i>	<i>Method Blank</i>
Ammonia-N	98.0	86.0	80.0	6.98	<0.1 mg/L
Chlorophyll a				43.48	<2 ug/L
Kjeldahl Nitrogen - Digestion/Anal	99.0	98.0	99.0	1.11	<0.1 mg/L
Nitrate-N - Ion Chromatography	100.0	101.0	100.0	1.00	<0.05 mg/L
Nitrate-N - Ion Chromatography	97.0	97.0	98.0	0.82	<0.05 mg/L
Nitrite-N - Ion Chromatography	103.0	113.0	112.0	0.89	<0.05 mg/L
Nitrite-N - Ion Chromatography	100.0	102.0	102.0	0.00	<0.05 mg/L
Phosphorus - Ortho	97.0	87.0	92.0	5.00	
Phosphorus - Total	93.0	93.0	93.0	0.00	<0.02 mg/L

<i>Legend:</i>	<i>LCS- Laboratory Control Standard</i>	<i>MS- Matrix Spike</i>	<i>MSD- Matrix Spike Duplicate</i>
	<i>RPD- Relative Percent Difference</i>		

SENT BY EMAIL DATE: 11/17/09 BY: [Signature]

CHAIN OF CUSTODY RECORD

182310

Client Name: **Stillwater Sciences** Purchase Order: **308.01/1330**

Address: **2955 Telesoph Ave Ste 400** Phone/Fax #: **510 848 8099**

City: **Berkeley** State: **CA** Zip: **94704** Report Attention: **Nash Hume**

Sampled by: **Mike Reymann** Signature: [Signature]

Date Sampled	Time Sampled	Sample Type *	Sample Identification	Preservative* See Key Below	Number of Containers	Analyses Requested	Turnaround Time	Compliance Monitoring
11/16/09	1520	3	GW-1	4	1	X	Standard: _____ Other: _____ Rush: _____ 48 Hr _____ 24 Hr _____	Yes: _____ No: _____
	1545	3	GW-2	4	1	X	Remarks	Lab Use Only Sub-Sample pH <2 >12
	1635	3	GW-3	4	1	X		
11/17/09	1025	3	EU2	4	1	X		
	1025	3	EU2 dup	4	1	X		
	1120	3	R-1	4	1	X		
	1215	3	EU1	4	1	X		
	1235	3	EM1	4	1	X		
	1300	3	EU3	4	1	X		

Relinquished By: [Signature] Print Name: **Mike Reymann** Company: **Stillwater** Date: **11/17/09** Time: **1530**

Received By: _____

Relinquished By: _____

Received By: **[Signature]** Print Name: **Mike Reymann** Company: **SEM** Date: **11/18/09** Time: **9:30**

Custody Seal Intact
 Yes _____ No _____ None _____

Sample Temperature _____ Degrees C _____

Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The analytical results associated with this COC apply only to the samples as they are received by the laboratory. The liability of the laboratory is limited to the amount paid for the report.
 Terms: Net thirty days on approved credit.



Client Name: Stillwater Sciences Purchase Order: 398.01/1330
 Address: _____ Phone/Fax #: 510 8488048
 City: _____ State: _____ Zip: _____ Report Attention: Nash Hume

Sampled by: Nike Reysman Signature: _____
 Date Sampled: 11/17/05 Time Sampled: 1325 Sample Type: 2 Sample Identification: FEM2 Preservative*: 4

Date Sampled	Time Sampled	Sample Type *	Sample Identification	Preservative*	Number of Containers	Analyses Requested	Turnaround Time	Compliance Monitoring
<u>11/17/05</u>	<u>1400</u>	<u>↓</u>	<u>FEL1</u>	<u>↓</u>	<u>1</u>	<u>X</u>	<u>Standard: _____ Other: _____</u>	<u>Yes: _____ No: _____</u>
<u>11/17/05</u>	<u>1415</u>	<u>↓</u>	<u>EL2</u>	<u>↓</u>	<u>1</u>	<u>X</u>	<u>Standard: _____ Other: _____</u>	<u>Yes: _____ No: _____</u>
<u>1025</u>	<u>1025</u>		<u>EU2</u>		<u>6</u>	<u>X</u>	<u>Standard: _____ Other: _____</u>	<u>Yes: _____ No: _____</u>
<u>1025</u>	<u>1120</u>		<u>EU2 dup</u>		<u>6</u>	<u>X</u>	<u>Standard: _____ Other: _____</u>	<u>Yes: _____ No: _____</u>
<u>1120</u>	<u>1245</u>		<u>R1</u>		<u>6</u>	<u>X</u>	<u>Standard: _____ Other: _____</u>	<u>Yes: _____ No: _____</u>
<u>1215</u>	<u>1235</u>		<u>EU1</u>		<u>6</u>	<u>X</u>	<u>Standard: _____ Other: _____</u>	<u>Yes: _____ No: _____</u>
<u>1230</u>	<u>1300</u>		<u>EM1</u>		<u>6</u>	<u>X</u>	<u>Standard: _____ Other: _____</u>	<u>Yes: _____ No: _____</u>
<u>X</u>	<u>1325</u>	<u>1300</u>	<u>EU3</u>		<u>6</u>	<u>X</u>	<u>Standard: _____ Other: _____</u>	<u>Yes: _____ No: _____</u>

Relinquished By: [Signature] Signature _____ Print Name: Nike Reysman Date: 11/17/05 Time: 1530
 Received By: _____ Company: Stillwater

Relinquished By: _____ Signature _____ Print Name: _____ Date: _____ Time: _____
 Received By: _____ Company: _____

Relinquished By: [Signature] Signature _____ Print Name: Maeburn Date: 11/18/05 Time: 238
 Received By: [Signature] Company: SEM

Custody Seal Intact Yes _____ No _____ None _____
 Sample Temperature _____ Degrees C _____
 Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The analytical results associated with this COC apply only to the samples as they are received by the laboratory. The liability of the laboratory is limited to the amount paid for the report.
 Terms: Net thirty days on approved credit.
 * KEY: Sample Type: 1=Drinking Water, 2=Surface Water, 3=Ground Water, 4=Waste Water, 5=Soil, 6=RCRA, 7=Other Preservative: 1=NaOH, 2=NaOH + ZnOAC, 3=HNO3, 4=H2SO4, 5=Na2S2O3, 6=None, 7=Other



Client Name: Stillwater Sciences Purchase Order: 398.01/1330

Address: _____ Phone/Fax #: 510 848 8898

City: _____ State: _____ Zip: _____ Report Attention: Nick Hunt

Sampled by: Mike Regmann Signature: [Signature]

Date Sampled	Time Sampled	Sample Type *	Sample Identification	Preservative* See Key Below	Number of Containers	Analyses Requested							Turnaround Time	Compliance Monitoring			
11/17/09	1400	2	ELL1	6	1	X	X										
	1415	2	ELL2	6	1	X	X										
	1025	1	EU2				X										
	10205		EU2 dup				X										
11/20	1215		R-1				X										
	1215		EU1				X										
	1235		EM1				X										
	1300		EU3				X										
	1325		EM2				X										

Relinquished By: [Signature] Signature: _____ Print Name: Mike Regmann

Received By: _____ Company: Stillwater Date: 11/17/09 Time: 1530

Relinquished By: _____

Received By: _____

Relinquished By: Faded Ex 8627 7627 414 Signature: [Signature] Company: [Signature] Date: 11/18/09 Time: 9:30

Received By Laboratory: [Signature]

Custody Seal Intact
 Yes ___ No ___ None ___
 Sample Temperature _____
 Degrees C _____

Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The analytical results associated with this COC apply only to the samples as they are received by the laboratory. The liability of the laboratory is limited to the amount paid for the report.
 Terms: Net thirty days on approved credit.

* KEY: Sample Type: 1=Drinking Water, 2=Surface Water, 3=Ground Water, 4=Waste Water, 5=Soil, 6=RCRA, 7=Other
 Preservative: 1=NaOH, 2=NaOH + ZnOAC, 3=HNO3, 4=H2SO4, 5=Na2S2O3, 6=None, 7=Other

Analyses Requested: Orthophosphate PO4, TP, Chla

Turnaround Time: Standard: _____ Other: _____
 Rush: 24 Hr _____
 48 Hr _____

Remarks: 1 L bottle

Lab Use Only Sub-Sample pH: <2 | >12

SEM COC Form Revised 02/01



Client Name: Stillwater Sciences Purchase Order: 398.01

Address: _____ Phone/Fax #: 510 8488048

City: _____ State: _____ Zip: _____ Report Attention: Nash Hume

Sampled by: Mike Reymann Signature: _____

Date Sampled	Time Sampled	Sample Type *	Sample Identification	Preservative* See Key Below	Number of Containers	Analyses Requested							Turnaround Time	Compliance Monitoring					
11/17/09	1325	2	EM2	6	1		X	Orthophosphate PO ₄ , TP											
	1400	2	EL1	6	1		X	Chl a											
	1415	2	EL2	6	1		X												

Relinquished By: [Signature] Print Name: Mike Reymann Date: 11/17/09 Time: 1530

Received By: _____

Relinquished By: _____

Received By: _____

Relinquished By: [Signature] Print Name: [Name] Date: 11/18/09 Time: 9:00

Received By: [Signature]

Custody Seal Intact
 Yes ___ No ___ None ___
 Sample Temperature _____
 Degrees C _____

Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The analytical results associated with this COC apply only to the samples as they are received by the laboratory. The liability of the laboratory is limited to the amount paid for the report.
 Terms: Net thirty days on approved credit.
 * KEY: Sample Type: 1=Drinking Water, 2=Surface Water, 3=Ground Water, 4=Waste Water, 5=Soil, 6=RCRA, 7=Other
 Preservative: 1=NaOH, 2=NaOH + ZNOAC, 3=HNO3, 4=H2SO4, 5=Na2S2O3, 6=None, 7=Other